

BZN INSERTS

For reference only and not to be distributed

Item Number	Item Description	IC (+/- 0.10 mm)	Nominal Thickness (mm)	Special Feature	MTS (ADC)	MTS (EDC)
BZN 6000- Inserts						
60084301	BCNU-22X 60 6.7MM IC	6.7	3.2			
25438601	BCNU-32X 6000 .390IC	9.9	3.2			
25585301	BCNU-42X 6000	13	3.2			
25147801	BCNU-43X 60 0.515 IC	13.1	4.8			
25533401	BCNU-43X 6000	13	4.8			
52753701	BHNU-22X 60 6.35MM IC	6.35	3.2			
61845401	BHNU-32X 60 10.4 IC	10.4	3.2			
25148401	BRNU-22X 6000	6.35	3.2			
25609401	BRNU-23X 6000	6.35	4.8			
11759101	BRNU-32X 6000 .390IC	9.9	3.2			
25093001	BRNU-33X 6000 .390IC	9.9	4.8			
11728201	BRNU-42X 6000	13.1	3.2			
11728401	BRNU-43X 6000	13.1	4.8		X	X
25228501	BRNU-53X 6000	15.9	4.8			
25469801	BRNU-63X 6000	19.05	4.8			
60113101	BSNU-22X 60 6.55MM IC	6.55	3.2			
29081201	BSNU-22X 6000	6.35	3.2			
61968401	BSNU-23X 6000	6.7	4.8			
12089801	BSNU-32X 60 .383IC	9.7	3.2			
11792101	BSNU-32X 6000 .387	9.8	3.2			
11917701	BSNU-33X 6000 .387IC	9.8	4.8			
11728601	BSNU-42X 6000 .508IC	12.9	3.2			
25380801	BSNU-42X 6000 .515 IC	13.1	3.2			
11965601	BSNU-43X 60 .515 IN. I.C.	13.1	4.8			
11728701	BSNU-43X 6000	13	4.8		X	X
61940801	BSNU-53X 60 16.3IC	16.3	4.8			
51455101	BTNU-22X 60 7.0MM IC	7	3.2			
11729001	BTNU-22X 6000 .265IC	6.7	3.2			
11791901	BTNU-32X 6000 .390IC	9.9	3.2			
11670701	BTNU-33X 6000 .390IC	9.9	4.8			
11728901	BTNU-43X 6000 .515IC	13.1	4.8			
BZN 7000 - Inserts						
25172901	BCNU-32X 70S	10.1	3.2			
51231401	BCNU-32X 70S 10.0IC W/1.0RAD	10	3.2	1.0 mm Nose Radius		
25585201	BCNU-33X 70S	10.1	4.8			

BZN INSERTS

Item Number	Item Description	IC (+/- 0.10 mm)	Nominal Thickness (mm)	Special Feature	MTS (ADC)	MTS (EDC)
BZN 7000 - Inserts						
25249101	BCNU-42X 70S	13.2	3.2			
25419201	BCNU-43X 70S	13.2	4.8			
51231301	BCNU-43X 70S 13.05IC W/1.8RAD	13.05	4.8	1.8 mm Nose Radius		
51615701	BCNU-43X 70S 13.1MM IC	13.1	4.8			
52694201	BCNU-43X 70S 13.2IC 0.8RAD	13.2	4.8	0.8 mm Nose Radius		
25506801	BCNU-43X 70S 13.2IC W/1.5 RAD	13.2	4.8	1.5 mm Nose Radius		
25606001	BDNU-33X 70S	10.5	4.8			
25640401	BENU-43X 70S	12.7	4.8			
51741101	BHNU-33X 70S 10.6MM IC	10.6	4.8			
25223201	BRNU-22X 70S	6.35	3.2			
52414401	BRNU-22X 70S 5.1MM IC	5.1	3.2			
51999701	BRNU-22X 70S 6.7MM IC	6.7	3.2			
52202701	BRNU-22X 70S 7.0MM IC	7	3.2			
25572201	BRNU-23X 70S	6.35	4.8			
51582701	BRNU-23X 70S 6.6MM IC	6.6	4.8			
51338101	BRNU-23X 70S 7.0MM IC	7	4.8			
51105901	BRNU-23X 70S 7.5MM IC	7.5	4.8			
61840101	BRNU-23X 70S 8.3MM IC	8.3	4.8			
25172601	BRNU-32X 70S	10	3.2		X	
51099801	BRNU-32X 70S 10.4MM IC	10.4	3.2			
25422401	BRNU-33X 70S	10	4.8		X	
25172301	BRNU-42X 70S 13.2MM I.C.	13.2	3.2		X	X
25417601	BRNU-43X 70S 13.2MM I.C.	13.2	4.8		X	X
25467901	BRNU-63X 70S 19.5MM I.C.	19.5	4.8			
52771001	BSNU-22X 70S 6.3MM IC	6.3	3.2			
25398201	BSNU-22X 70S 6.8MM IC	6.8	3.2			
25172701	BSNU-32X 70S	10	3.2			
51231501	BSNU-32X 70S 10.0IC W/1.0 RAD	10	3.2	1.0 mm Nose Radius		
25417701	BSNU-33X 70S	10	4.8		X	
25171301	BSNU-42X 70S	13.2	3.2			
25407001	BSNU-43X 70S	13.2	4.8		X	
51199001	BSNU-43X 70S 13.05IC W/1.8RAD	13.05	4.8	1.8 mm Nose Radius		
51615801	BSNU-43X 70S 13.1MM IC	13.1	4.8			
25172801	BTNU-22X 70S	7	3.2			
51120701	BTNU-23X 70S	7	4.8			
25250301	BTNU-32X 70S	10	3.2			
25480201	BTNU-33X 70S	10	4.8			
51942101	BWNU-43X 70S	13.2	4.8			

BZN INSERTS

Item Number	Item Description	IC (+/- 0.10 mm)	Nominal Thickness (mm)	Special Feature	MTS (ADC)	MTS (EDC)
BZN 7100 – Inserts						
61714901	BCNU-32X 71S 1.2MM RAD 10.0 IC	10	3.2	1.2 mm Nose Radius		
51276801	BCNU-32X 71S 9.8MM IC	9.8	3.2			
51383301	BCNU-33X 71S 9.8MM IC	9.8	4.8			
51394601	BCNU-42X 71S 13.0MM IC	13	3.2			
51786701	BCNU-43X 71S 13.05IC W/1.8RAD	13.05	4.8	1.8 mm Nose Radius		
52414501	BCNU-43X 71S 13.0IC W/1.2RAD	13	4.8	1.2 mm Nose Radius		
51218501	BCNU-43X 71S 13.0MM IC	13	4.8			
51507501	BDNU-32X 71S 10.0MM IC	10	3.2			
61096001	BDNU-32X 71S 10.4IC W/1.6RAD	10.4	3.2	1.6 mm Nose Radius		
61111001	BDNU-33X 71S 10.4IC W/1.6RAD	10.4	4.8	1.6 mm Nose Radius		
51364201	BRNU-22X 71S 6.4MM IC	6.4	3.2			
51585501	BRNU-22X 71S 6.6MM IC	6.6	3.2			
51345101	BRNU-32X 71S 9.8MM IC	9.8	3.2			
51387601	BRNU-33X 71S 9.8MM IC	9.8	4.8			
51292201	BRNU-42X 71S 13.0MM IC	13	3.2			
51216801	BRNU-43X 71S	13.1	4.8		X	
51218301	BRNU-63X 71S 19.4MM IC	19.4	4.8			
52060101	BSNU-22X 71S 6.8MM IC	6.8	3.2			
52644501	BSNU-32X 71S 10.0MM IC	10	3.2			
52233101	BSNU-32X 71S 8.3MM IC	8.3	3.2			
52551001	BSNU-32X 71S 9.8IC W/0.4RAD	9.8	3.2	0.4 mm Nose Radius		
51251601	BSNU-32X 71S 9.8MM IC	9.8	3.2			
52605901	BSNU-33X 71S 10.3MM IC	10.3	4.8			
52551101	BSNU-33X 71S 9.8IC W/0.4RAD	9.8	4.8	0.4 mm Nose Radius		
52414601	BSNU-33X 71S 9.8IC W/1.2RAD	9.8	4.8	1.2 mm Nose Radius		
51375201	BSNU-33X 71S 9.8MM IC	9.8	4.8			
51251501	BSNU-42X 71S 13.0MM IC	13	3.2			
51242101	BSNU-43X 71S 13.05IC W/1.8RAD	13.05	4.8	1.8 mm Nose Radius		
52414701	BSNU-43X 71S 13.0IC W/1.2RAD	13	4.8	1.2 mm Nose Radius		
51218401	BSNU-43X 71S 13.0MM IC	13	4.8			X
51386901	BSNU-63X 71S 19.6MM IC	19.6	4.8			
51251701	BTNU-22X 71S 6.6MM IC	6.6	3.2			
51474401	BTNU-22X 71S 7.0MM IC	7	3.2			
51436501	BTNU-32X 71S 10.0MM IC	10	3.2			
51348701	BTNU-33X 71S 9.8MM IC	9.8	4.8			
51551401	BVNU-33X 71S 10.0MM IC	10	4.8			

BZN INSERTS

Item Number	Item Description	IC (+/- 0.10 mm)	Nominal Thickness (mm)	Special Feature	MTS (ADC)	MTS (EDC)
BZN 7200 - Inserts						
52033401	BCNU-32X 72S	10.1	3.2			
61603601	BCNU-32X 72S 10.3MM	10.3	3.2			
51780101	BCNU-33X 72S 10.1MM IC	10.1	4.8			
51797401	BCNU-43X 72S 13.0MM IC	13	4.8			
52701001	BCNU-43X 72S 13.2MM IC	13.2	4.8			
61598401	BCNU-43X 72S 13.4MM IC	13.4	4.8			
51845101	BDNU-33X 72S 10.0MM IC	10	4.8			
51845001	BDNU-43X 72S 13.0MM IC	13	4.8			
61185101	BRNU-22X 72S 6.8MM IC	6.8	3.2			
61854801	BRNU-23X 72S 7.5MM IC	7.5	4.8			
52221801	BRNU-32X 72S 10.0MM IC	10	3.2			
51836801	BRNU-33X 72S 10.0MM IC	10	4.8			
60074401	BRNU-42X 72S 13.2MM IC	13.2	3.2			
61106401	BRNU-43X 72S	13.2	4.8			
51780201	BRNU-43X 72S 13.2MM IC	13.2	4.8			
60353001	BRNU-63X 72S 19.5MM IC	19.5	4.8			
51844801	BSNU-32X 72S 10.0MM IC	10	3.2			
51780301	BSNU-33X 72S 10.0MM IC	10	4.8			
51797301	BSNU-43X 72S 13.2MM IC	13.2	4.8			
52145901	BTNU-22X 72S 7.0MM IC	7	3.2			
51780401	BTNU-23X 72S 7.0MM IC	7	4.8			
60353301	BTNU-32X 72S 10.0MM IC	10	3.2			
51844901	BTNU-33X 72S 10.0MM IC	10	4.8			
61570501	BWNU-43X 72S 13.3IC	13.3	4.8			
BZN 7300 - Inserts						
52197201	BCNU-43X 73S 13.2MM IC	13.2	4.8			
52197601	BRNU-43X 73S 13.2MM IC	13.2	4.8			
52197301	BSNU-43X 73S 13.2MM IC	13.2	4.8			
60023701	BCNU-32X 73S	9.8	3.2			
60023801	BCNU-33X 73S	9.8	4.8			
61545701	BCNU-33X 73S 10.3 IC	10.3	4.8			
52767501	BCNU-42X 73S	13	3.2			
52774701	BCNU-43X 73S 13.0MM IC	13	4.8		X	
60115801	BCNU-43X 73S 13.0MM IC 0.8RAD	13	4.8	0.8 mm Nose Radius		
60047701	BCNU-43X 73S 13.4MM IC	13.4	4.8			
61970101	BCNU-43X 73S 13.6MM IC	13.6	4.8			
60304501	BRNU-22X 73S 6.8MM IC	6.8	3.2			

BZN INSERTS

Item Number	Item Description	IC (+/- 0.10 mm)	Nominal Thickness (mm)	Special Feature	MTS (ADC)	MTS (EDC)
BZN 7300 - Inserts						
61997101	BRNU-23X 73S 6.2 MM IC	6.2	4.8			
60023401	BRNU-32X 73S	9.8	3.2			
62256901	BRNU-32X 73S 10.5MM IC	10.5	3.2			
52767301	BRNU-33X 73S 9.8MM IC	9.8	4.8		X	
60023501	BRNU-42X 73S	13.1	3.2			
52577501	BRNU-43X 73S	13.1	4.8		X	X
61470601	BRNU-43X 73S 13.3MM IC	13.3	4.8			
52577601	BRNU-63X 73S	19.05	4.8			
61201301	BRNU-63X 73S 19.4MM IC	19.4	4.8		X	
61700501	BSNU-22X 73S 6.8 IC	6.8	3.2			
60331601	BSNU-32X 73S 10.0MM IC	10	3.2			
52767601	BSNU-32X 73S 9.8MM IC	9.8	3.2			
60155101	BSNU-33X 73S 10.0MM IC	10	4.8			
52768001	BSNU-33X 73S 9.8MM IC	9.8	4.8			
52767401	BSNU-42X 73S	13	3.2		X	
60340501	BSNU-43X 73S 13.05IC W/1.8RAD	13.05	4.8	1.8 mm Nose Radius		
60046401	BSNU-43X 73S 13.0MM IC	13	4.8			
60099601	BSNU-43X 73S 13.4MM IC	13.4	4.8			
60045801	BSNU-63X 73S	19.6	4.8			
60024001	BTNU-22X 73S	6.6	3.2			
62340201	BTNU-22X 73S 6.8MM IC 0.8RAD	6.8	3.2	0.8 mm Nose Radius		
60148501	BTNU-22X 73S 7.0MM IC	7	3.2			
60042501	BTNU-23X 73S	6.6	4.8			
60024101	BTNU-32X 73S 9.8MM IC	9.8	3.2			
61106001	BTNU-33X 73S 10.0mm IC	10	4.8			
52767901	BTNU-33X 73S 9.8MM IC	9.8	4.8			
61516401	BWNU-33X 73S	10	4.8			
61570601	BWNU-43X 73S 13.3IC	13.3	4.8			
BZN 7400 - Inserts						
61098501	BCNU-43X 74S 13.2MM IC	13.2	4.8			
61726301	BRNU-42X 74S	13.2	3.2			
62125601	BSNU-32X 74S 10.0MM IC	10	3.2			
61098201	BSNU-43X 74S 13.2MM IC	13.2	4.8			
62001101	BSNU-43X 74S 13.4MM IC	13.4	4.8			
BZN 9000 - Inserts						
25624401	BSNU-32X 9000 .387IC	9.8	3.2			
51202601	BSNU-42X 90 .518 IC	13.15	3.2			

BZN INSERTS

Item Number	Item Description	IC (+/- 0.10 mm)	Nominal Thickness (mm)	Special Feature	MTS (ADC)	MTS (EDC)
BZN 9100 - Inserts						
51051801	BCNU-32X 9100 .390IC	9.9	3.2			
61845301	BHNU-32X 91 10.4 IC	10.4	3.2			
51502301	BRNU-22X 9100 .265IC	6.7	3.2			
52182301	BRNU-23X 91	6.35	4.8			
51098901	BRNU-32X 9100	9.8	3.2			
51600801	BRNU-33X 9100	9.8	4.8			
BZN 9100 - Inserts						
51099001	BRNU-42X 9100 .520IC	13.2	3.2			
51014801	BRNU-43X 9100 .520IC	13.2	4.8			
51305201	BSNU-22X 91 .265IC	6.7	3.2			
25624501	BSNU-32X 9100 .387IC	9.8	3.2			
25588001	BSNU-33X 9100 .387IC	9.8	4.8			
51101401	BSNU-42X 9100 .508IC	12.9	3.2			
25636601	BSNU-43X 9100 .508IC	12.9	4.8			
51124901	BSNU-43X 9100 13.0MM IC	13	4.8			
51261101	BSNU-43X 9100 13.2MM IC	13.2	4.8			
25624701	BTNU-22X 9100	6.7	3.2			
51376001	BTNU-32X 91 10.0MM IC	10	3.2			
25584501	BTNU-33X 9100	9.8	4.8			
51081901	BTNU-43X 9100 .515IC	13.1	4.8			
BZN 9500 - Inserts						
61539201	BCNU-32X 9500	9.8	3.2			
62340301	BRNU-22X 95	6.75	3.2			
61546601	BRNU-32X 9500	9.8	3.2			
61968301	BSNU-22X 9500	6.7	3.2			
61546501	BSNU-32X 9500	9.8	3.2			
61450301	BSNU-42X 9500	13	3.2			
61723601	BSNU-42X 9500 13.1MM IC	13.1	3.2			
61488301	BTNUE-63X 9500 w5.2IC	5.2	2.4			
V25 -Inserts						
62341401	BTNUE-63X V25 w5.2IC	5.2	2.4			
62901501	BTNU-32X V25 10.1IC 1.1MM RAD	10.1	3.2	1.1 mm Nose Radius		
62427901	BRNU-32X V25	9.8	3.2			
HPT135 - Inserts						
63216101	BRNU-32X HPT135 9.8MM IC	9.8	3.2			

BZN INSERTS

Item Number	Item Description	IC (+/- 0.10 mm)	Nominal Thickness (mm)	Special Feature	MTS (ADC)	MTS (EDC)
PM161 – Inserts						
61085401	BTNUE-63X PM161 w5.2IC	5.2	2.4			
V35 – Inserts						
62341301	BTNUE-63X V35 w5.2IC	5.2	2.4			